

Table 2. Number, incidence rate¹, median days away from work² and relative standard errors³ of occupational injuries and illnesses involving days away from work⁴ to selected parts of body with musculoskeletal disorders⁵ in selected ownerships for New York, 2006

| Ownership | Part of body affected | Total Cases | Incidence Rate | Median Days | Relative Standard Error |
|------------------|--|-------------|----------------|-------------|-------------------------|
| private industry | All selected parts | 26,090 | 45.6 | 13 | 2.6 |
| private industry | 1 Neck- Including Throat | 410 | 0.7 | 14 | 8.4 |
| private industry | 10 Neck- except internal location of diseases or disorders | 410 | 0.7 | 16 | 8.5 |
| private industry | 2 Trunk | 18,790 | 32.8 | 11 | 2.7 |
| private industry | 20 Trunk- unspecified | 30 | 0.1 | 7 | 29.4 |
| private industry | 21 Shoulder- including clavicle- scapula | 3,130 | 5.5 | 20 | 3.8 |
| private industry | 22 Chest- including ribs- internal organs | 250 | 0.4 | 5 | 10.7 |
| private industry | 220 Chest- except internal location of diseases or disorders | 250 | 0.4 | 5 | 10.7 |
| private industry | 23 Back- including spine- spinal cord | 13,520 | 23.6 | 10 | 2.8 |
| private industry | 230 Back- including spine- spinal cord- unspecified | 6,130 | 10.7 | 10 | 3.2 |
| private industry | 231 Lumbar region | 6,450 | 11.3 | 10 | 3.1 |
| private industry | 232 Thoracic region | 510 | 0.9 | 6 | 7.7 |
| private industry | 233 Sacral region | 80 | 0.1 | 5 | 18.6 |
| private industry | 238 Multiple back regions | 310 | 0.5 | 6 | 9.6 |
| private industry | 239 Back- including spine- spinal cord- n.e.c. | 30 | 0.1 | 12 | 29.5 |
| private industry | 24 Abdomen | 1,250 | 2.2 | 19 | 5.2 |
| private industry | 240 Abdomen- except internal location of diseases or disorders | 310 | 0.5 | 5 | 9.7 |
| private industry | 241 Internal abdominal location- unspecified | 340 | 0.6 | 26 | 9.3 |
| private industry | 242 Stomach organ | 60 | 0.1 | 52 | 22.2 |
| private industry | 245 Intestines- peritoneum | 550 | 1.0 | 19 | 7.4 |
| private industry | 2450 Intestines- peritoneum- unspecified | 550 | 1.0 | 19 | 7.4 |
| private industry | 25 Pelvic region | 580 | 1.0 | 17 | 7.3 |
| private industry | 251 Hip(s) | 140 | 0.2 | 64 | 14.3 |
| private industry | 254 Groin | 410 | 0.7 | 16 | 8.5 |
| private industry | 28 Multiple trunk locations | 40 | 0.1 | 3 | 27.1 |
| private industry | 3 Upper extremities | 3,280 | 5.7 | 21 | 3.7 |
| private industry | 31 Arm(s) | 1,180 | 2.1 | 21 | 5.4 |
| private industry | 310 Arm(s)- unspecified | 360 | 0.6 | 22 | 9.1 |
| private industry | 311 Upper arm(s) | 140 | 0.2 | 30 | 14.2 |
| private industry | 312 Elbow(s) | 500 | 0.9 | 21 | 7.7 |
| private industry | 313 Forearm(s) | 90 | 0.2 | 17 | 17.8 |
| private industry | 318 Multiple arm(s) locations | 40 | 0.1 | 48 | 26.2 |
| private industry | 319 Arm(s)- n.e.c. | 50 | 0.1 | 23 | 22.8 |
| private industry | 32 Wrist(s) | 1,440 | 2.5 | 24 | 4.9 |
| private industry | 33 Hand(s)- except finger(s) | 240 | 0.4 | 10 | 11.0 |
| private industry | 34 Finger(s)- fingernail(s) | 190 | 0.3 | 20 | 12.3 |
| private industry | 38 Multiple upper extremities locations | 230 | 0.4 | 14 | 11.2 |
| private industry | 382 Hand(s) and wrist(s) | 70 | 0.1 | 16 | 20.0 |
| private industry | 389 Multiple upper extremities locations- n.e.c. | 120 | 0.2 | 10 | 15.0 |
| private industry | 4 Lower extremities | 2,050 | 3.6 | 17 | 4.3 |
| private industry | 41 Leg(s) | 1,610 | 2.8 | 24 | 4.7 |
| private industry | 410 Leg(s)- unspecified | 80 | 0.1 | 9 | 18.6 |
| private industry | 411 Thigh(s) | 60 | 0.1 | 22 | 21.0 |
| private industry | 412 Knee(s) | 1,280 | 2.2 | 25 | 5.2 |
| private industry | 413 Lower leg(s) | 160 | 0.3 | 6 | 13.1 |
| private industry | 418 Multiple leg(s) locations | 20 | -- | 129 | 39.1 |
| private industry | 42 Ankle(s) | 340 | 0.6 | 6 | 9.2 |
| private industry | 43 Foot(feet)- except toe(s) | 90 | 0.2 | 14 | 17.4 |
| private industry | 430 Foot(feet)- except toe(s)- unspecified | 50 | 0.1 | 12 | 23.0 |
| private industry | 432 Sole(s) | 30 | -- | 62 | 31.7 |
| private industry | 4323 Heel(s) | 30 | -- | 62 | 32.4 |
| private industry | 8 Multiple Body Parts | 1,510 | 2.6 | 15 | 4.9 |
| private industry | 9999 Nonclassifiable | 40 | 0.1 | 3 | 26.9 |

Table 2. Number, incidence rate¹, median days away from work² and relative standard errors³ of occupational injuries and illnesses involving days away from work⁴ to selected parts of body with musculoskeletal disorders⁵ in selected ownerships for New York, 2006

| Ownership | Part of body affected | Total Cases | Incidence Rate | Median Days | Relative Standard Error |
|------------------|--|-------------|----------------|-------------|-------------------------|
| state government | All selected parts | 2,190 | 107.8 | 13 | 4.7 |
| state government | 1 Neck- Including Throat | 90 | 4.4 | 20 | 16.3 |
| state government | 10 Neck- except internal location of diseases or disorders | 90 | 4.4 | 20 | 16.3 |
| state government | 2 Trunk | 1,240 | 61.0 | 12 | 5.5 |
| state government | 21 Shoulder- including clavicle- scapula | 290 | 14.1 | 25 | 9.5 |
| state government | 22 Chest- including ribs- internal organs | 20 | 0.8 | 6 | 38.3 |
| state government | 220 Chest- except internal location of diseases or disorders | 20 | 0.8 | 6 | 38.3 |
| state government | 23 Back- including spine- spinal cord | 820 | 40.4 | 11 | 6.3 |
| state government | 230 Back- including spine- spinal cord- unspecified | 450 | 22.2 | 8 | 7.9 |
| state government | 231 Lumbar region | 320 | 15.6 | 12 | 9.1 |
| state government | 238 Multiple back regions | 40 | 1.9 | 12 | 24.1 |
| state government | 24 Abdomen | 70 | 3.6 | 8 | 17.9 |
| state government | 240 Abdomen- except internal location of diseases or disorders | 30 | 1.6 | 4 | 26.2 |
| state government | 245 Intestines- peritoneum | 30 | 1.4 | 12 | 28.4 |
| state government | 2450 Intestines- peritoneum- unspecified | 30 | 1.4 | 12 | 28.4 |
| state government | 25 Pelvic region | 40 | 2.2 | 6 | 22.8 |
| state government | 254 Groin | 30 | 1.5 | 6 | 27.6 |
| state government | 3 Upper extremities | 320 | 15.6 | 18 | 9.1 |
| state government | 31 Arm(s) | 100 | 5.2 | 14 | 15.1 |
| state government | 310 Arm(s)- unspecified | 40 | 2.2 | 11 | 22.8 |
| state government | 312 Elbow(s) | 20 | 1.1 | 8 | 32.2 |
| state government | 318 Multiple arm(s) locations | 30 | 1.5 | 14 | 27.4 |
| state government | 32 Wrist(s) | 140 | 6.7 | 31 | 13.3 |
| state government | 33 Hand(s)- except finger(s) | 20 | 0.9 | 3 | 34.7 |
| state government | 34 Finger(s)- fingernail(s) | 30 | 1.4 | 6 | 28.1 |
| state government | 38 Multiple upper extremities locations | 20 | 1.2 | 17 | 30.2 |
| state government | 4 Lower extremities | 260 | 12.9 | 10 | 9.9 |
| state government | 41 Leg(s) | 200 | 9.7 | 10 | 11.2 |
| state government | 410 Leg(s)- unspecified | 20 | 0.9 | 35 | 34.5 |
| state government | 412 Knee(s) | 140 | 6.9 | 9 | 13.1 |
| state government | 413 Lower leg(s) | 30 | 1.4 | 4 | 28.3 |
| state government | 42 Ankle(s) | 40 | 1.8 | 3 | 25.0 |
| state government | 43 Foot(feet)- except toe(s) | 20 | 0.8 | 12 | 37.8 |
| state government | 8 Multiple Body Parts | 270 | 13.3 | 17 | 9.8 |
| local government | All selected parts | 7,450 | 98.3 | 13 | 2.3 |
| local government | 1 Neck- Including Throat | 90 | 1.2 | 3 | 22.5 |
| local government | 10 Neck- except internal location of diseases or disorders | 90 | 1.2 | 3 | 22.5 |
| local government | 2 Trunk | 4,710 | 62.1 | 13 | 3.0 |
| local government | 20 Trunk- unspecified | 30 | 0.3 | 15 | 42.1 |
| local government | 21 Shoulder- including clavicle- scapula | 1,310 | 17.3 | 13 | 5.8 |
| local government | 22 Chest- including ribs- internal organs | 50 | 0.6 | 10 | 31.1 |
| local government | 220 Chest- except internal location of diseases or disorders | 50 | 0.6 | 10 | 31.1 |
| local government | 23 Back- including spine- spinal cord | 2,690 | 35.4 | 8 | 4.0 |
| local government | 230 Back- including spine- spinal cord- unspecified | 1,270 | 16.8 | 7 | 5.9 |
| local government | 231 Lumbar region | 1,230 | 16.3 | 10 | 6.0 |
| local government | 232 Thoracic region | 80 | 1.1 | 5 | 23.5 |
| local government | 233 Sacral region | 20 | 0.2 | 6 | 52.1 |
| local government | 238 Multiple back regions | 70 | 1.0 | 4 | 25.0 |
| local government | 24 Abdomen | 220 | 2.9 | 34 | 14.3 |
| local government | 240 Abdomen- except internal location of diseases or disorders | 120 | 1.6 | 38 | 19.3 |
| local government | 241 Internal abdominal location- unspecified | 60 | 0.8 | 28 | 27.0 |
| local government | 242 Stomach organ | 20 | 0.2 | 50 | 52.8 |
| local government | 245 Intestines- peritoneum | 20 | 0.3 | 18 | 48.4 |
| local government | 2450 Intestines- peritoneum- unspecified | 20 | 0.3 | 18 | 48.4 |
| local government | 25 Pelvic region | 410 | 5.4 | 28 | 10.4 |
| local government | 254 Groin | 400 | 5.2 | 28 | 10.6 |

Table 2. Number, incidence rate¹, median days away from work² and relative standard errors³ of occupational injuries and illnesses involving days away from work⁴ to selected parts of body with musculoskeletal disorders⁵ in selected ownerships for New York, 2006

| Ownership | Part of body affected | Total Cases | Incidence Rate | Median Days | Relative Standard Error |
|------------------|--|-------------|----------------|-------------|-------------------------|
| local government | 3 Upper extremities | 1,330 | 17.6 | 14 | 5.8 |
| local government | 31 Arm(s) | 520 | 6.9 | 61 | 9.2 |
| local government | 310 Arm(s)- unspecified | 170 | 2.3 | 16 | 16.2 |
| local government | 312 Elbow(s) | 60 | 0.8 | 17 | 26.8 |
| local government | 318 Multiple arm(s) locations | 260 | 3.4 | 61 | 13.2 |
| local government | 32 Wrist(s) | 580 | 7.7 | 14 | 8.8 |
| local government | 33 Hand(s)- except finger(s) | 100 | 1.3 | 13 | 21.4 |
| local government | 34 Finger(s)- fingernail(s) | 70 | 1.0 | 10 | 24.5 |
| local government | 38 Multiple upper extremities locations | 50 | 0.6 | 9 | 31.4 |
| local government | 382 Hand(s) and wrist(s) | 20 | 0.2 | 14 | 53.2 |
| local government | 389 Multiple upper extremities locations- n.e.c. | 20 | 0.2 | 19 | 50.3 |
| local government | 4 Lower extremities | 780 | 10.3 | 4 | 7.5 |
| local government | 41 Leg(s) | 630 | 8.4 | 3 | 8.4 |
| local government | 410 Leg(s)- unspecified | 20 | 0.3 | 15 | 47.5 |
| local government | 411 Thigh(s) | 20 | 0.3 | 2 | 45.4 |
| local government | 412 Knee(s) | 530 | 7.1 | 2 | 9.1 |
| local government | 413 Lower leg(s) | 40 | 0.6 | 5 | 31.9 |
| local government | 42 Ankle(s) | 110 | 1.4 | 4 | 20.4 |
| local government | 43 Foot(feet)- except toe(s) | 30 | 0.4 | 4 | 39.2 |
| local government | 430 Foot(feet)- except toe(s)- unspecified | 30 | 0.3 | 4 | 42.2 |
| local government | 8 Multiple Body Parts | 480 | 6.3 | 10 | 9.7 |
| local government | 9999 Nonclassifiable | 70 | 0.9 | 4 | 26.0 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: $(N / EH) \times 20,000,000$ where,

N = number of injuries and illnesses,

EH = total hours worked by all employees during the calendar year,

20,000,000 = base for 10,000 full-time equivalent workers (working 40 hours per week, 50 weeks per year).

² Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

³ Relative standard errors are a measure of the sampling error of an estimate. Sampling errors occur because observations are made on a sample, not on the entire population. Estimates based on the different possible samples of the same size and sample design could differ. Relative standard errors less than 0.05 are not shown.

⁴ Days away from work cases include those which result in days away from work with or without job transfer or restriction.

⁵ Includes cases where the nature of injury is: sprains, strains, tears; back pain, hurt back; soreness, pain, hurt, except back; carpal tunnel syndrome; hernia; or musculoskeletal system and connective tissue diseases and disorders and when the event or exposure leading to the injury or illness is: bodily reaction/bending, climbing, crawling, reaching, twisting; overexertion; or repetition. Cases of Raynaud's phenomenon, tarsal tunnel syndrome, and herniated spinal discs are not included. Although these cases may be considered MSD's, the survey classifies these cases in categories that also include non-MSD cases.

NOTE: Dashes indicate data that do not meet publication guidelines or data for incidence rates less than .05 per 10,000 full-time workers. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, November 2007